INTERFERENCE

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	0	(((wir$4 near5 harness) and rout$6) and arrange$4 and (connect$4 same strength) and sort$3 and (symbol or model$3 or component)).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 06:07

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4102	(connect$4 same strength) and bundle and wir$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 05:33
L2	1371	(connect$4 same strength)and (wir$4 near6 harness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 05:33
L3	1371	(connect$4 same strength) and (wir$4 near6 harness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 05:33
L4	2	(connect$4 same strength) and (wir$4 near6 harness) and "716"/$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 05:33
L5	12	(connect$4 same strength) and (wir$4 near6 harness) and layout and symbol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 05:33
L6	4586	(wir$4 near5 harness) and rout$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 05:46
L7	2884	((wir$4 near5 harness) and rout$6) and arrange$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 05:49
L8	6	((wir$4 near5 harness) same rout$6) and arrange$4 and connect$4 and "716"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 05:47

L9	281	((wir$4 near5 harness) and rout$6) and arrange$4 and (connect$4 same strength)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 05:49
L10	22	((wir$4 near5 harness) and rout$6) and arrange$4 and (connect$4 same strength) and sort$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 05:51
L11	19	((wir$4 near5 harness) and rout$6) and arrange$4 and (connect$4 same strength) and sort$3 and (symbol or model$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 05:53
L12	22	((wir$4 near5 harness) and rout$6) and arrange$4 and (connect$4 same strength) and sort$3 and (symbol or model$3 or component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 06:07
L13	0	(((wir$4 near5 harness) and rout$6) and arrange$4 and (connect$4 same strength) and sort$3 and (symbol or model$3 or component)).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 06:07

IEEE Xplore RELEASE 2.3

Welcome United States Patent and Trademark Office

□ Search Results   **BROWSE   SEARCH   IEEE XPLORE GUIDE**

Results for "((wiring <and> harness <and> routing <and> component <and> connectivity <..."   ☑ e-mail

Your search matched **0** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History   **Modify Search**

New Search   ((wiring <and> harness <and> routing <and> component <and> connectivity <and> s [**Search**]

□ Check to search only within this results set

» Key   **Display Format:** ⦿ Citation ○ Citation & Abstract

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan search.

Indexed by
Inspec